


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.25

PLANT A GARDEN FOR HEALTH AND ECONOMY



QUINLAN'S Seed Catalog

1950

*Complete Line of Flower,
Garden and Field Seeds,
Insecticides, Fertilizers, Pet
Animal Foods, Remedies*

317 Wabash Ave. Terre Haute, Ind.
Telephone C-2075

PARCEL POST RATES

On Seeds, Plants, Bulbs, Roots, Books, Tools, etc., within the U. S. and Possessions.

	<i>First Pound or Fraction</i>	<i>Each Additional Pound or Fraction up to and in- cluding 10 lbs.</i>
Local	10c.	1.0c
First and Second Zone within 150 miles of either.....	12c.	2.1c
Third Zone within 150 to 300 miles	13c.	3.0c
Fourth Zone within 300 to 600 miles	14c.	4.5c
Fifth Zone within 600 to 1000 miles.....	15c.	6.0c
Sixth Zone within 1000 to 1400 miles	16c.	7.5c
Seventh Zone within 1400 to 1800 miles.....	17c.	9.5c
Eighth Zone all over 1800 miles.....	18c.	11.5c

NOTE—A fraction of a cent in the total amount of postage on any parcel shall be counted as a full cent. Limit of weight for delivery to all zones 70 pounds; to Canada 15 lbs. If weight exceeds this, we will pack in 2 or 3 parcels (not more) provided money is remitted to cover postage. (Mark your Zone Number on order.)

All parcels under 8 ounces are carried everywhere regardless of zone rates at two cents for 2 ounces or fraction thereof, plus one cent for each additional ounce or fraction thereof up to 8 ounces. Above 8 ounces take parcel post rates.

Low Prices.—A matter of primary importance in buying seeds is to obtain only the best. Our position enables us to supply you with such seeds, and at prices to compete with all reliable seedsmen.

Good Order.—If seeds are not received in good order within a reasonable time, write us and we will look up the shipment. Small orders are often delayed in transit.

Cash.—Money must always accompany the order. Money may be sent safely either by Postoffice Order, Express Order, or Bank Draft. We will be responsible for the safe receipt of remittances sent by either of the above methods. We accept postage stamps the same as cash.

WARRANTY AND QUALITY OF SEEDS

While we exercise the greatest care to have all our seeds Pure, Reliable, and True to Name, we do not give any warranty, express or implied, as to description, quality, and productiveness, or any other matter, of any seeds we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the seeds on these terms, they are at once to be returned and the money that has been paid for same will be refunded.

SPRING CATALOG

1950

**A COMPLETE LINE OF FLOWER, GARDEN AND FIELD
SEEDS, INSECTICIDES, FERTILIZERS, PET AND
ANIMAL FOODS AND REMEDIES**

QUINLAN'S SEED STORE

317 Wabash Ave.

Terre Haute, Indiana

TELEPHONE C-2075

Vegetable Planting Chart

Vegetable	Depth to Cover (inches)	Space Between Rows	Space to Set Plants or Thin Out Seedlings	Time Required to Produce Crop Ready for Use	Time to Plant in Open Ground	
					North	
Asparagus	Seeds, 1 in. Plants, 4 in.	3 to 4 ft.	12 in.	Plants 2 years Seeds 4 years	Early	Spring
Beans (Limas, see below)	Pole 2 in.	2 ft.	4 in.	60 to 90 days	May & June	
	Bush 2 in.	3 ft.	3 ft.	90 to 120 days		
Beet	½ in.	18 in.	2 to 3 in.	60 to 80 days	April to Aug.	
Boroccoli	¼ in.	2½ ft.	24 in.	120 days	May & June	
Brussels Sprouts	¼ in.	2½ ft.	24 in.	120 days		
Cabbage		2½ ft.	18 to 24 in.	100 to 150 days	Mar. to June	
Chinese Cabbage	¼ in.	2½ ft.	12 in.	80 to 100 days	April to June	
Carrot	⅛ in.	2 ft.	2 to 4 in.	45 to 60 days		
Cauliflower		2 to 3 ft.	24 in.	120 to 150 days	April to June	
Celery		3 ft.	6 in.	100 to 120 days	May & June	
Corn, Sweet	2 in.	3 ft.	12 in.	80 to 120 days	May to July	
Cucumber	¼ in.	4 ft.	3 to hill	60 to 80 days	April to July	
Eggplant		2½ ft.	24 in.	100 to 120 days	April & May	
Endive	⅛ in.	2 ft.	10 to 12 in.	60 to 80 days	April & July	
Kale	⅛ in.	2½ ft.	12 in.	80 to 100 days	Aug. to Sept.- Mar. & Apr.	
Leek	⅛ in.	2 ft.	4 in.	100 days	Mar. to May	
Lettuce	⅛ in.	2 ft.	10 to 12 in.	45 to 60 days	Mar. to Sept.	
Melon, Musk	¼ in.	4 ft.	3 to hill	100 to 120 days	April to June	
Beans, Lima	Pole 2 in.	3 ft.	24 in.	100 days		
	Bush 2 in.	4 ft.	3 ft.	120 days		
Onions	⅛ in.	18 in.	4 in.	80 to 110 days	April to May	
Onion Sets	1 in.	18 in.	2 in.	30 to 60 days	Autumn— Feb. to May	
Peas	2 in.	2½ ft.	1 in.	60 to 100 days	Mar. to June	
Pepper		3 ft.	2 ft.	100 days	May & June	
Potatoes	4 in.	3 ft.	6 in.	100 days	Mar. to June	
Potatoes, Sweet	3 in.	3½ ft.	2 ft.	5 mos.	May & June	
Pumpkin	½ in.	4 to 6 ft.	3 to hill	100 to 120 days	May & July	
Radish	½ in.	18 in.	1 to 4 in.	30 to 60 days	Mar. to Sept.	
Rhubarb	6 in.	3 ft.	3 ft.	60 days	Early Spring	
Rutabaga	⅛ in.	2 ft.	6 in.	90 to 100 days	May & June	
Spinach	¼ in.	18 in.	4 in.	60 days	Sept. or very early spring	
Spinach, N. Zealand	1 in.	18 in.	3 in.	2 mos.		
Squash	¼ in.	4 to 6 ft.	3 to hill	100 to 120 days	April to July	
Swiss Chard	½ in.	2 ft.	12 in.	90 to 100 days		
Tomato		3 to 4 ft.	3 ft.	100 to 120 days	May to June	
Turnip	⅛ in.	2 ft.	4 in.	60 to 80 days	April to Aug.	
Watermelon	½ in.	6 ft.	4 to 6 ft.	3 to 4 mos.		

The time required for crops to reach edible size varies, of course, according to the seasons and varieties. Different soils also have a profound influence. A tomato, for instance, which in Southern New Jersey will mature in 90 days, may require from 100 to 110 days in sections further north having heavy clay soils. Allowance also must be made for the relative estimate of the yields, due to climatic and soil conditions. But the averages will be found to be fairly accurate on the basis of many years of observations.

ASPARAGUS.

An ounce of seed will sow 50 feet of drill, and produce about 300 plants.
Fair crops may be expected the third year from seed.

	Oz.	¼ lb.	Lb.
Washington, Mary20	.50	1.50
The highest type of the rust-resistant asparagus. It is earlier, larger and longer than the original Washington and quite as resistant. Tips are very tight and do not "sprangle out" or "blow" prematurely.			

BEANS.—Dwarf or Bush.

Postage on all Beans to be paid by purchaser. See Parcel Post Rates
Front Page.

Beans should not be planted before the ground becomes light and warm, in favorable seasons usually about the first of May. The soil should be rich and mellow, and the seeds scattered about 8 inches apart in drills that are to 2 to 2½ feet apart, and covered about 2 inches deep. Successive sowings, made at intervals of about two weeks until the middle of July, will give a plentiful supply of beans throughout the season. One pound of seed will sow 100 feet of drill.

GREEN PODDED SORTS

	Lb.	¼ Bu.	Bu.	Days
Black Valentine (Improved Stringless), Oval Dark Green Pod	.50	\$6.00	\$20.00	49
Bountiful Bean, Early Stringless, Flat Light Green Pod.....	.50	6.00	20.00	49
Full Measure, Very Early Round Stringless50	6.00	20.00	53
Giant Stringless Green Pod, Round Medium Green Pod.....	.50	6.00	20.00	53
Hopkin's Imp. Round Pod, Ex. Early Valentine, Red.....	.50	6.00	20.00	52
Horticultural Dwarf, Shell Bean50	6.00	20.00	54
Large Red Kidney, Shell Bean50	6.00	20.00	95
Plentiful50	6.00	20.00	51
Improved Bountiful type, stringless, long straight medium deep green pods. Shows a definite resistance to rust disease. Very productive.				
Refugee (1000 to 1), Round Stringless Green Pod.....	.50	6.00	20.00	70
Streamliner, Oval Dark Green Pod50	6.00	20.00	55
Stringless Green Pod, Round Dark Green Pod50	6.00	20.00	50
Tendergreen (New Stringless), Round Dark Green Pod.....	.50	6.00	20.00	51
Tennessee Green Pod, Flat Medium Green Pod50	6.00	20.00	50
White Kidney, Shell Bean50	6.00	20.00	95
White Marrow, Shell Bean50	6.00	20.00	100
White Navy, Shell Bean50	6.00	20.00	90
Yard Long50			

WAX PODDED BEANS.

	Lb.	¼ Bu.	Days
German Black Wax, Yellow Pod50	6.00	55
Improved Golden Wax, Yellow Pod50	6.00	51

POLE BEANS.

Less hardy than the Bush Beans, and should be planted several weeks later, when the ground is warmer. Plant the seeds in slightly raised hills 3 or 4 feet apart, 4 or 5 seeds to the hill. The Limas are especially tender, and the rule for late outside planting with them is rigid. Painstaking cultivators, who are usually the most successful, plant them eye downward, after setting stout poles for every hill. All sorts of late-ripening Pole Beans are benefitted by pinching the tips of the vines back when they are about 5 feet high. A pound will plant about 100 hills.

	Lb.	¼ Bu.	Days
Early Golden Cluster Wax, Yellow Pod.....	.50	6.00	74

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

POLE BEANS—Continued

	Lb.	¼ Bu.	Days
Horticultural or Cranberry, Shell Bean50	6.00	70
Kentucky Wonder, or Old Homestead50	6.00	65
Kentucky Wonder Wax, Yellow Pod50	6.00	68
Lazy Wife, Thick Green Pod50	6.00	74
Missouri Wonder, Round Medium Green Pod50	6.00	66
Speckled Cut Short Corn Bean50	6.00	72
White Kentucky Wonder, Green Pod50	6.00	64

POLE LIMA BEANS.

	Lb.	¼ Bu.	Days
Extra Large Lima, Large Flat Bean50	7.50	88
King of the Garden, Large Flat Bean.....	.50	7.50	88

BUSH OR DWARF LIMA BEANS.

	Lb.	¼ Bu.	Bu.	Days
Baby Fordhook, Small Thick Bean50	7.50	25.00	72
Burpee's Imp. Bush Lima, Large Plump Bean.....	.50	7.50	25.00	75
Fordhook, Thick Oval Bean50	7.50	25.00	75
Henderson's Bush Lima, Small Oval Bean.....	.50	7.50	25.00	65
Speckled, Small Flat Bean50	7.50	25.00	73

BEETS.

The soil best suited to the Beet is a deep, light and rich loam. For very early crops, the seed is sown in hotbeds, and the seedlings are transplanted to the open ground. For main crop, the seed is sown outside as soon as the soil is in good condition, in drills from 12 to 15 inches apart, and covered about an inch deep; the plants are thinned to stand 4 or 5 inches apart in the rows. For winter crops, sow seeds in June, in drills, as for early Beets. An ounce of seed will sow 100 feet of drill; five or six pounds will sow an acre.

	Oz.	¼ lb.	Lb.	Days
Asgrow Wonder, (New Dark Red) round deep red root.....	.25	.50	1.50	57
Early Blood Turnip, bright red turnip root25	.50	1.50	68
Early Wonder, semi-globular dark purplish red root25	.50	1.50	58
Detroit Dark Red Turnip Beet25	.50	1.50	68
Mammoth Long Red, Stock25	.50	1.50	110
New Crosby's Egyptian, dark red flat globe root25	.50	1.50	60
Yellow Globe, Stock25	.50	1.50	102

BROCCOLI.

	Oz.	4 Oz.
Italian Green Sprouting50	1.50

A distinct variety, extensively cultivated by Italian gardeners. Plant forms a large, solid head which remains green. When the central head is cut, numerous sprouts develop from the leaf axes, each sprout terminating in small green heads, which are bunched for market.

BRUSSELS SPROUTS.

	Oz.	4 Oz.
Half-Dwarf Improved50	1.50

Species of Cabbage; cultivation the same.

ASK FOR QUANTITY PRICES

CABBAGE.

Seed sown in hotbed or greenhouse about February 15 will give plants large enough to transplant into hotbeds about March 10. Set them 2 or 3 inches apart each way, and as soon as they become well established remove the glass for part of the day, to harden them for final transplanting into the open ground, increasing the exposure daily until April 10 or 20, when the final transplanting may be made. Plants for this early crop need not stand further apart than 1½x2 feet. For late crops, sow seeds in April or May, and transplant to the open ground when large enough, setting the plants up to the first leaf, and 2x3 feet apart. It is important that the plants should not stand thick in the seedbeds, as this would induce weak, slender plants.

One oz. to 1500 plants; 2 oz. to the acre.

	Oz.	Days
All Head Early, early flat head50	78
All Seasons, medium early round head. Yellow-resistant.....	.50	87
Charleston Wakefield, early peaked head50	74
Copenhagen Market, early round head. Yellow-resistant.....	.50	69
Danish Ballhead, late round head50	103
Early Dwarf Flat Dutch50	90
Early Jersey Wakefield, early peaked head50	63
Glory of Enkhuizen, early round head.....	.50	77
Golden Acre, extra early round head.....	.50	64
Improved American Savoy, early peaked head. Curly leaf.....	.50	76
Jersey Queen, early peaked head. Yellow-resistant50	66
Mammoth Rock Red, round head50	100
Marion Market, medium early round head. Yellow-resistant50	79
Selected Flat Dutch, late50	100
Surehead, late flat head50	77
Wisconsin Hollander, early round head. Yellow-resistant.....	.50	105

CARROT.

Carrots succeed best on heavy loam, which preferably should have been well fertilized the previous year, as fresh manure often causes the roots to grow pronged and misshapen. Sow the seed as early in the spring as the ground can be prepared, firming the soil down over them.

One ounce of seed will sow 200 feet of drill; 2 pounds will sow an acre.

	Oz.	¼ lb.	Lb.	Days
Chantenay Half Long (The Model)25	.75	2.00	72
Excellent medium early half-long stump rooted variety; roots about 6 inches long, very thick, smooth and of a deep orange-red color.				
Danver's Half Long25	.75	2.00	72
Good for all purposes.				
Long Orange25	.75	2.00	88
Large; good for stock also.				
Nantes Improved Coreless25	.75	2.00	70
Reddish orange, blunt end root.				
Oxhart25	.75	2.00	72
Roots short and very thick.				

CAULIFLOWER.

Culture for Cauliflower and cabbages is essentially the same, but to the former extra care given in applying fertilizers and moisture well repays the gardener. Sow the seeds for early and late crops as directed for cabbage, but do not set the early plants in the open field too soon, for if too much stunted by severe frosts they begin to form heads before they are strong enough to develop them well. Plants which have not headed before winter sets in may be stored in a cool cellar or coldframe, and will form heads there without any further attention.

One oz. to 1500 plants; 2 oz. to the acre.

	Pkt.	¼ Oz.	½ Oz.
Early Snowball, Dwarf10	.75	1.00

CELERIC.

Sow in early spring; transplant the seedlings in May. They will be ready for cooking in October and may be preserved in dry sand for use during winter.

	Oz.
Turnip Rooted Celery, used for celery flavor in soups.....	.50

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

CELERY.

Celery can be grown on any garden soil, but is finest on deep, mellow bottom land. Seed for early crops should be sown in hotbeds about March 15. The plants may either be thinned to give them room to grow, or transplanted to another bed to grow until it is time to plant them in the open ground. For main crop, seed should be sown in the open air as soon as the soil and air are warm enough. They should be covered lightly, or merely pressed into the earth with a board if the soil is fine and mellow. The seedbed must be kept free from weeds and well watered in dry weather. When the plants are large enough, transplant them to shallow trenches or furrows from 4 to 6 feet apart, according to the variety grown, setting the plants 6 inches apart in the rows and pressing the soil firmly around them. One oz. to 10,000 plants.

Celery Cabbage or Chinese Lettuce.

Wong Bok, short variety	Oz. .50
Chihili, tall variety50
Giant Pascal, green garden variety50
Golden Self Blanching, gold garden variety50
White Plume, white garden variety50

COLLARDS.

True Georgia

Used as Greens. A non-heading type of cabbage.

Oz.

.25

SWEET CORN.

Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

The Sweet or Sugar varieties being liable to rot in the cold or wet ground, should not be planted before May, or until the ground has become warm, and for a succession continue planting every two weeks, until the middle of July, in rich, well-manured ground in hills three feet apart each way, covering about half an inch and then thin out three plants to a hill, or plant in rows four feet apart and to stand eight inches apart in the rows. One-quarter pound to 100 feet; 1 gallon to the acre.

	Lb.	¼ Bu.	Bu.	Days
Adam's Early, ears 12-14 rowed, white50	5.00	18.00	7½
Black Mexican, ears 8 rowed, white, black at maturity.....	.50	5.00	18.00	88
Country Gentleman, rows irregular, white50	5.00	18.00	95
Country Gentleman Hybrid, rows irregular, white.....	.60			99
Early Evergreen, ears 16-18 rowed, white50	5.00	18.00	90
Early Mammoth, ears 12-16 rowed, white50	5.00	18.00	74
Golden Bantam, ears 8 rowed, yellow50	5.00	18.00	85
Golden Country Gentleman, rows irregular, yellow.....	.50	5.00	18.00	95
Golden Cross Bantam, ears 10-14 rowed, yellow.....	.60			85
Golden Evergreen, ears 10-16 rowed, yellow.....	.50	5.00	18.00	95
Golden Sunshine, ears 10-12 rowed, yellow50	5.00	18.00	72
Howling Mob, ears 12-16 rowed, white50	5.00	18.00	83
Late Mammoth, ears 10-18 rowed, white50	5.00	18.00	98
Shoe Peg, rows irregular, white50	5.00	18.00	95
Stowell's Evergreen, ears 16-20 rowed, white50	5.00	18.00	95
Stowell's Evergreen Hybrid, ears 16-18 rowed, white.....	.60			93
Whipples Early Yellow, ears 12-14 rowed50	5.00	18.00	87
Whipple's Early White, ears 14-18 rowed50	5.00	18.00	85

CORN SALAD.

Sow the seed thickly in shallow drills in September, and firm the soil well down above it, if the weather be dry. Highly appreciated, and much grown where other salads and lettuces do not succeed. An ounce of seed will sow a bed 20 feet square.

	Oz.	¼ Lb.
Large Leaf50	1.50
Fine for salad.		

ASK FOR QUANTITY PRICES

CRESS.

Curled or Pepper Grass	Oz.
Used for salad; very pungent.	.35
True Water Cress50
Delicious flavor; very wholesome.	

CUCUMBERS.

The seed can not be planted in the open ground before the weather has become warm and settled, and the ground mellow and light. Plant the seeds in well-enriched hills about 4 feet apart each way, and as soon as all danger from insects is over thin the plants to leave four of the strongest in each hill. One oz. to 50 hills; 1 pound to the acre.

	Oz.	¼ lb.	Lb.	Days
A. & C. or Ace25	.75	3.00	65
New dark green slicing variety popular with shippers.				
Fruits average about 10 inches long by 2¼ inches in diameter, straight and cylindrical. Vines robust and heavy yielders.				
Chicago Pickling, medium green, warted, small.....	.25	.75	2.50	59
Early Cluster, medium green, small25	.75	2.50	55
Improved Long Green, deep green, warted25	.75	2.50	67
Japanese Climbing, black spined, deep green, long				58
Longfellow, dark green, long25	.75	2.50	70
Straight Eight, medium green, long25	.75	2.50	66
The Davis Perfect, dark green, long25	.75	2.50	65
West India Gherkin, Pickling, oval, pale green, prickled.....	.25	.75	2.50	60
White Wonder, white, large, clustered25	.75	2.50	60

EGG PLANT.

Sow the seed in hotbeds early in March, transplant to small pots and plunge them in the same beds; this is to make them strong and stocky. They should not be planted out until May or June, when the weather becomes warm and settled, as cool nights and wet weather will check their growth. Set the plants in rows 3 feet apart each way and give them thorough cultivation, drawing the earth up to the stems when they are about a foot high. Repeated sowings are sometimes necessary, as the seed does not germinate freely without strong and uniform heat. One oz. to 2,000 plants.

	Oz.	Days
Black Beauty50	80

ENDIVE.

This is an important fall and winter salad. For early, the seed should be sown in April, in drills 15 inches apart, and the seedlings thinned to stand 12 inches apart in the rows. Sowings for the main crop may be made in June and July, as the vegetable is used principally in fall and winter. The inner leaves are blanched by tying the tips of the outer ones together, or by laying boards over the plants. One-fourth oz. to 100 feet of drill.

	Oz.	¼ lb.	Days
Broad Leaf Batavian25	.75	92
Thick, slightly wrinkled; forming a loose head.			
Green Curled25	.75	95
White Curled25	.75	100

KALE.

One oz. to 2,000 plants; 1 pound to the acre.

	Oz.	¼ lb.	Lb.	Days
Dwarf German Green, deep green, broad leaves25	.60	1.50	55
Improved Siberian, deep green, large frilled leaves.....	.25	.60	1.50	65
Tall Curled Scotch, light green, deep leaves25	.60	1.50	60

KOHL RABI.

Very palatable when prepared for the table like turnips. If the weather is favorable the seed should be sown in April, in rows 18 inches apart, and the seedlings thinned to stand a foot apart. One-half oz. to 100 feet of drill.

	Oz.	¼ lb.	Lb.	Days
Early Purple Vienna50	1.25	3.75	62
Early White Vienna50	1.25	3.75	55

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

LEEK.

Used for seasoning soups and boiling with meats. The seed should be sown in hotbeds in early spring, and the seedlings transplanted later to the open ground, 8 inches apart, in rows from 12 to 15 inches apart. One-half oz. to 100 feet of drill.

Broad Scotch or London Flag	Oz. .50
-----------------------------------	---------

LETTUCE.

Seed for the first outdoor crop is usually sown in hotbeds in February, and the seedlings transplanted to the garden in April, 8 to 12 inches apart, in rows 12 inches apart. For a succession until frost, sow in drills in the open ground at intervals of every two or three weeks, and thin the plants to stand 6 to 8 inches apart. For plants to force in hotbeds from November until spring, sow seed in hotbeds in the fall, and cover up as winter approaches, until the plants are required for use. Or the seed may be sown in hotbeds early in winter and the seedlings transplanted when large enough into fine and well-prepared garden soil. One-fourth oz. to 100 feet of drill; 2 pounds to the acre.

	Oz.	$\frac{1}{4}$ lb.	Lb.	Days
Bibb25	1.00	3.00	54
Big Boston, medium head, green tinted with red.....	.25	.75	2.50	75
Black Seeded Simpson, large frilled leaf, yellow-green.....	.25	.75	2.00	46
Stands heat well.				
Early Curled Simpson, large leaf, yellowish-green.....	.25	.75	2.00	45
Good for forcing and out doors.				
Grand Rapids, large curly leaf, light green25	.75	2.00	43
Extra fine for forcing.				
Hanson, large head, yellowish-green25	.75	3.00	80
Stands drought and hot sun well.				
Iceberg, large head, light green25	.75	3.00	84
The hardest heading variety of all.				
Paris White Cos, Trianon or Romain, dark green for poultry..	.25	.75	2.00	66
Prize Head, light green leaf, red edge.....	.25	.75	2.00	47
Leaves frilled and blistered; very crisp.				
N. Y. or Wonderful25	1.00	4.00	80
A large late sort, cabbage heading variety, with large crumpled, dark green leaves. Similar to N. Y. cabbage.				
Oak Leaf25	1.00	4.00	85

MUSHROOM SPAWN.

American Pure Culture Spawn	1 lb. Brick .50
-----------------------------------	-----------------

MUSKMELON.

Muskmelon seed should not be planted outdoors until the ground has become warm and dry. The hills should be about 6 feet apart, and carefully prepared. Rich earth is far better for the young plants than manure; but if the latter must be used see that it is well rotted. Plant from six to twelve seeds in a hill, and when the young seedlings are strong enough to resist the attacks of insects, thin them, leaving three of the strongest in each hill. One oz. to 50 hills: 1 to 2 pounds per acre.

	Oz.	$\frac{1}{4}$ lb.	Lb.	Days
Banana, salmon flesh, banana shape25	.75	2.00	98
Burrell's Gem, pink-salmon flesh25	.75	2.00	90
Hale's Best No. 36, deep salmon flesh25	.75	2.00	82
Honey Dew, emerald green flesh25	.75	2.00	112
Honey Rock, orange-salmon flesh25	.75	2.00	81
Hoodo or Hearts of Gold, yellow flesh25	.75	2.00	90
Imperial No. 5, mildew resistant25	.75	2.00	
Osage, orange-salmon flesh25	.75	2.00	95
Pollock, pink flesh25	.75	2.00	94
Pride of Wisconsin, orange flesh25	.75	2.00	90
Queen of Colorado, bright orange flesh25	.75	2.00	88
Rocky Ford, Colorado grown Netted Gem, green flesh.....	.25	.75	2.00	92
Sugar Rock, orange-salmon flesh25	.75	2.00	90
Tip Top, yellow flesh25	.75	2.00	90

MUSTARD.

The young and tender leaves of the mustard are greatly relished as salads or when cooked like spinach. The seed should be sown in shallow drills as early as the ground can be prepared in spring. One oz. to 50 feet of drill.

	Oz.	$\frac{1}{4}$ lb.	Lb.	Days
Fordhook, bright green fringed leaf15	.40	1.25	60
Mustard Spinach15	.40	1.25	45
A Japanese plant of the Mustard family which has become popular with the gardeners for its extremely quick habit of growth, producing a marketable crop of excellent mild mustard greens in about four weeks from seed.				
Ostrich Plume, light green fringed leaf15	.40	1.25	60
Southern Giant Curled, light green heavy leaf.....	.15	.40	1.25	40
White, for seasoning15	.40	1.25	

ASK FOR QUANTITY PRICES

OKRA.

The tender young pods are used for seasoning soups and stews. Sow the seeds thickly in rich soil about the middle of May, in drills 3 feet apart, and cover the seeds an inch deep. Two oz. to 100 feet of drill.

	Oz.	¼ lb.	Lb.	Days
Dwarf Green, deep green pods15	.30	1.00	50
Perkin's Mammoth Green, deep green pods, tall15	.30	1.00	56
White Velvet, white pods, early15	.30	1.00	60

ONION.

Onions thrive best on a rich, deep, loamy soil. For sets, the seeds should be sown very thickly in drills as early as possible in spring. In summer, as soon as the tops die down, harvest the bulbs and store them in a dry, cool place, spreading them in thin layers. Early in the following spring replant them 4 inches apart, in small drills 12 inches apart, and they will form into fine, large bulbs early in the season. Large Onions may also be grown from seed the first season if the land is strong and well manured, the seed sown thinly in drills a foot apart, and the seedlings thinned to stand 3 or 4 inches apart in drills; they must be well cultivated and kept free from weeds. Five pounds per acre will be required for large onions; for sets, 25 to 30 pounds.

One-half oz. to 100 feet of drill.

	Oz.	¼ lb.	Lb.	Days
Extra Large Red Wethersfield, medium large, flat.....	.50	1.50	5.00	100
Mammoth Prizetaker, Yellow, large globe50	1.50	5.00	105
Southport Large White Globe50	1.50	5.00	110
Southport Large Red Globe50	1.50	5.00	110
Sweet Spanish, White, large round50	1.50	5.00	110
White Silverskin or Portugal, medium, thick-flat50	1.50	5.00	100
Yellow Bermuda, medium, flat50	1.50	5.00	98
Yellow Globe Danvers50	1.50	5.00	100

PARSLEY.

Much used for garnishing and flavoring soups, stews, etc. The seed is slow to germinate, and should be sown as early as possible, in drills 12 inches apart, thinning plants in rows 4 to 6 inches apart. One-half oz. to 100 feet of drill.

	Oz.	¼ lb.	Lb.	Days
Moss Curled. Finely cut and curled for garnishing.....	.25	.70	2.00	70
Plain, for flavoring25	.70	2.00	72

PARSNIP.

Sow the seed in drills 15 inches apart as early as possible in spring, and thin the plants until they are 5 or 6 inches apart in the rows. The roots are much improved by frost; to be dug up as required. On the approach of cold weather, cover them heavily with manure or litter. Deep, rich, heavy soil is best suited to the culture of Parsnips, and the roots will be smooth and large if no fresh manure is used, as this tends to make them coarse-grained and misshapen. One-half oz. to 50 feet of drill; 8 pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Large Hollow Crown Sugar30	.60	1.75	95

PEAS.

Postage to be Paid by Purchaser. See Parcel Post Rates on Front Page.

Peas succeed in light, dry, loamy soil. Early and dwarf sorts require richer soil than the late varieties. If manure is used let it be old and well rotted, or there will be a rank growth of vines with few pods. Sow the early, smooth, round sorts as early in spring as the ground can be worked. Seeds of wrinkled varieties are more liable to rot if the ground is cold and must be planted later. Sow all the varieties quite early and depend for succession upon the different times of ripening of the various sorts, or from the first sowing sow every two weeks until June for a succession. One-half pound to 100 feet; 2 bushels to the acre.

	Lb.	¼ Bu.	Bu.	Days
Alaska50	6.00	20.00	57
The very earliest and best blue pea. Height, 2 ft.				
American Wonder50	6.00	20.00	61
Well known and very popular. Height, 1 ft.				
Black Eyed				Ask for Prices

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

PEAS.—Continued

	Lb.	¼ Bu.	Bu.	Days
Champion of England, Pole50	6.00	20.00	80
Well known standard variety. Height, 5 ft.				
Chicago Market50	6.00	20.00	62
Wrinkled variety; height 2½ ft.; about one week later than Gradus.				
First and Best50	6.00	20.00	58
Very Early. Height, 2½ ft.				
Gradus, or Prosperity50	6.00	20.00	65
One of the earliest of wrinkled varieties: large pods. Height, 2½ ft.				
Laxtonian50	6.00	20.00	63
Large, full pods; fine quality. Height, 1½ ft.				
Laxton Progress50	6.00	20.00	62
Few days earlier than Laxtonian. Vines 18 inches tall, pods 4 inches long. A valuable new variety.				
Little Marvel50	6.00	20.00	64
Vine strong and vigorous, about 18 inches tall. Showy pods about 3 to 3½ inches long, blunt ended. Seed large, green, wrinkled. A very fine productive, dwarf, sturdy variety.				
Luscious Sugar, Edible pods. Height, 4 ft.50	6.00	20.00	74
McLean's Little Gem50	6.00	20.00	64
Very prolific; a garden favorite. Height, 1 ft.				
Nott's Excelsior50	6.00	20.00	62
An improvement on American Wonder. Height, 1 ft.				
Telephone, Pole50	6.00	20.00	80
Enormous pods; fine quality. Height, 4½ ft.				
Thomas Laxton50	6.00	20.00	62
Similar to Gradus only a few days later.				
World's Record50	6.00	20.00	57
An improved type of Gradus, being slightly earlier, more dwarf, true to type and productive. Height 2½ feet. Vines moderately stout, medium green, pods medium green, 4 in. long, very broad, pointed and well filled with 7 to 8 very large, dark green peas of exceptional quality.				

PEANUT.

Make rows two or more feet apart, and drop seed eight inches apart. Matures very early, and may be planted after oats in July.

	Lb.
Virginia50

PEPPER.

Sow in hotbed as early as April, and transplant to rich, warm, mellow soil, as soon as the weather has become warm and settled, setting them about 2 feet apart in drills 3 feet apart. One oz. to 1,500 plants.

	Oz.	¼ lb.	Lb.	Days
Bull Nose or Bell, 4 lobed mild50	1.75	6.00	64
California Wonder, Crimson Fruit, 4 lobed, mild and sweet50	1.75	6.00	75
Cayenne50	1.75	6.00	70
Fruit long, hot and pungent.				
Long Hungarian (Yellow or Banana), early, hot50	1.75	6.00	65
Long Hungarian (Yellow or Banana), early, sweet50	1.75	6.00	65
Pimento, heart shaped, mild and sweet50	1.75	6.00	73
Red Chili50	1.75	6.00	82
Small and prolific. Used for pepper sauce. Hot.				
Ruby Giant, and Chinese Giant, 4 lobed, mild and sweet50	1.75	6.00	75
Largest of all. Red.				
Ruby King, 3 lobed50	1.75	6.00	68
Fruit very large; bright red color. Very mild.				
Sunnybrook50	1.75	6.00	73
A tomato-shaped sweet, red pepper of much merit. Fruit smooth, upright, 3 in. in diameter by 2½ in. in depth with thick flesh; moderately early.				
Sweet Golden Queen, 3 lobed, mild and sweet50	1.75	6.00	78
Sweet Mountain50	1.75	6.00	73
Large; square shaped and mild.				
Worldbeater, 4 lobed, mild and sweet50	1.75	6.00	75

ASK FOR QUANTITY PRICES

POP CORN.

	Days
Golden Queen, large eared, 12-16 rowed	90
Japanese Hulless, short eared, 18 rowed, white.....	Ask for Prices 85
South American, large eared, 12-14 rowed, yellow.....	90
White Rice, medium eared, 10-16 rowed	90

PUMPKIN.

Grown principally for stock-feeding, yet some are so sweet, juicy and fine-grained that they will always be considered indispensable for pies and sauces. The vines require the same culture as that recommended for melons, but the seeds must be planted in hills much wider apart; frequently they are planted among corn. A pound of seed will plant from 200 to 300 hills. One to two pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Cushaw, Golden15	.50	1.50	112
Similar to White Cushaw, except in color of shell, which is golden yellow.				
Cushaw, Striped15	.50	1.50	112
Of the crookneck type with mottled green and white stripes; flesh yellow, very solid and fine grained.				
Cushaw, White15	.50	1.50	110
Long, white, crookneck; fine for table or stock.				
Japanese Pie, crookneck, flesh deep yellow15	.50	1.50	110
Small Sugar, round fruit, bright orange color15	.50	1.50	108
Sweet Cheese or Kentucky Field, round fruit, deep yellow color10	.40	1.00	120

RADISH.

Sow in sheltered spot, the earth being deeply dug, highly fertilized, and raked free from clods and stones. Radishes grown on poor, thin soil cannot be made good; they will be misshapen and tough. To be good they must be grown quickly. Radishes can be forced by covering with a window or a sash. One oz. to 100 feet of drill; 10 to 15 pounds per acre.

	Oz.	¼ lb.	Lb.	Days
Celestial, or White Chinese15	.50	1.00	60
Best for fall; very large white radish. Round root.				
China Rose Winter, long root, white flesh15	.50	1.00	52
Cincinnati Market, long root, red skin, white flesh.....	.15	.50	1.00	28
Crimson Giant15	.50	1.00	28
Extremely large but never pithy; suitable for forcing or open cultivation; tender and crisp. Round root.				
Early Scarlet Turnip Forcing White Tip15	.50	1.00	26
French Breakfast, oblong root, scarlet with white tip.....	.15	.50	1.00	25
Icicle15	.50	1.00	27
Long, smooth, white forcing radish.				
Long Black Spanish Winter, white flesh15	.50	1.00	58
Round Black Spanish Winter, white flesh15	.50	1.00	56
Scarlet Globe15	.50	1.00	24
Fine for forcing and open ground; very early. Round root.				
White Strasburg, long white root15	.50	1.00	39

RHUBARB.

Sow the seed early, and when the plants are large enough thin them to 4 or 5 inches apart. The next spring or fall transplant them 3 feet apart each way in deep, rich soil. For forcing, take up some large roots and place them in a dark corner of the cellar or greenhouse. Two oz. to 100 feet of drill.

	Oz.	¼ lb.	Lb.
Victoria30	.85	2.50

SALSIFY, OR OYSTER PLANT.

When cooked, the roots have something of the flavor and odor of oysters. They may be boiled, used in soups, or grated and fried as fritters. Culture the same as for parsnips and carrots. Roots are perfectly hardy, and may be left in the ground all winter. A quantity of roots for winter use may be stored in a pit or in sand or damp earth in a cellar. One oz. to 100 feet of drill.

	Oz.	¼ lb.	Lb.
Mammoth Sandwich Island50	1.50	4.50

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

SPINACH.

One of the most important crops grown for greens, and may be had in good condition from very early in the spring until cold weather. For early use sow very early in spring, and for succession at intervals. The main crop for spring and winter use should be sown in September and the plants covered for winter.

One-half oz. to 100 feet of drill: 6 to 8 pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Bloodsdales Savoy, large crumpled dark green leaves.....	.10	.25	.75	42
Long Standing, large crumpled dark green leaves.....	.10	.25	.75	42
New Zealand, small thick dark green leaves25	.75	2.00	70

SQUASH.

Seeds should not be planted in spring until all danger of frost is past. Plant in hills 5 feet apart for bush varieties and 6 to 8 feet apart for running sorts, putting 6 to 8 seeds to the hill, finally leaving but 3 plants.

One-half pound to 200 or 300 hills: 2 to 3 pounds per acre.

	Oz.	¼ lb.	Days
Acorn, vine, Fall type20	.50	100
Banana Squash, vine, Fall type20	.50	105
Boston Marrow, similar to Hubbard, vine, Fall type.....	.20	.50	100
Delicious, vine, Fall type20	.50	100
Early Yellow Bush Scallop, Summer type20	.50	58
Early White Bush Scallop, Summer type20	.50	56
Golden Hubbard, vine, Fall type20	.50	100
Green Cocozelle, bush, Summer type20	.50	63
Italian Marrow, vine, Fall type20	.50	97
Straight Neck, bush, Summer type20	.50	50
Summer Crook-Neck, bush, Summer type20	.50	52
Sweet Potato, vine, Fall type20	.50	100
Warty Hubbard, vine, Fall type20	.50	110
Zucchini, bush, Summer type20	.50	62

SWISS CHARD, SILVER OR SEA KALE.

	Oz.	¼ lb.	Lb.	Days
Grown exclusively for its leaves, which can be used and served like Spinach. Cultivation same as Beets.....	.25	.75	1.50	50
Rhubarb Chard50	1.50	6.00	60

TOBACCO

Sow the seed in plant bed in March. Transplant when five or six leaves appear. Set in rows 3½ feet apart, 18 to 20 inches apart in the row, according to variety. When the bud appears, break off the top, leaving 16 leaves to mature. Keep off all suckers growing from the stem. When the leaves have become waxy and brittle it is ripe. Cut and hang the stock in a shed to dry.

	Oz.	¼ lb.	Lb.
White Burley40	.75	2.00

TOMATO.

As the plants advance in growth support them by brushwood. To have the Tomato very early it is necessary to start the plants in a hotbed, or they may be reared in a flower pot in a window and subsequently transplanted. Plants for an early crop should be raised under glass. For intermediate crop they may be raised on outside beds. For late crops the seed may be planted in permanent position.

One oz. to 2,500 plants; 2 ozs. to the acre.

	Oz.	¼ lb.	Lb.	Days
Bonny Best, A good forcing variety60	1.75	5.50	73
Very early; vigorous and productive; color scarlet.				
Break O'Day, orange-red round fruit60	1.75	5.50	70
Crimson Cushion (Beefsteak or Enormous)85	2.50	7.50	90
The largest of the bright red tomatoes; really a Red Ponderosa.				

ASK FOR QUANTITY PRICES

TOMATO—Continued

	Oz.	¼ lb.	1 lb.	Days
Dwarf Champion Very early; dark purplish red.	.60	1.75	5.50	86
Early Detroit Purplish pink; smooth; semi-globular.	.60	1.75	5.50	80
Golden Ponderosa Largest of the yellow tomatoes and similar to Ponderosa except in color of fruit.	.85	2.50	7.50	89
Golden Queen Yellow; ripens early; is large size, smooth and solid.	.85	2.50	7.50	84
Greater Baltimore, Indiana Strain Large as Stone; deep red, very solid and productive.	.60	1.75	5.50	79
John Baer A very early, large red variety of fine quality.	.60	1.75	5.50	70
Jubilee A large, globular, smooth, bright golden-orange variety. Inferior meaty, thick walled, with few seed.	.85	2.50	7.50	80
June Pink, earliest pink Marglobe Certified, deep red, round, smooth.	.60	1.75	5.50	69
Oxheart, heart-shape, rough, pink Ponderosa	1.25	4.50	10.00	90
Ponderosa The largest tomato grown; rich crimson; solid flesh.	.85	2.50	7.50	88
Pritchard or Red Topper, round, light scarlet Red Pear	.85	2.50	7.50	76
Red Pear Fruit 2 inches long, pear formed for preserves.	.85	2.50	7.50	73
Red Plum Fruits oval, 2 inches long, plum shape, for preserves.	.85	2.50	7.50	73
Rutger, bright red, round, smooth Spark's Earliana	.60	1.75	5.50	86
Scarlet Dawn, early Red The Stone	.60	1.75	5.50	66
Yellow Pear Very large and smooth; ripens evenly bright scarlet.	.60	1.75	5.50	70
Yellow Pear Fruit 2 inches long, pear formed for preserves.	.60	1.75	5.50	92

TURNIP.

For early, sow as soon as the ground can be prepared, in drills 15 inches apart, and thin the plants to stand 8 inches apart. Sow for succession at intervals of two weeks until the last week in July, and from that time onward until the last of August sow for main crop. The sowings should always be made just before a rain, if possible, as the success of the crop depends, in a great measure, upon quick germination and rapid growth of the young plants. One oz. to 300 feet of drill; 1 pound to the acre.

	Oz.	¼ lb.	Lb.	Days
American Purple Top Ruta Baga, round15	.50	1.25	90
Extra Early White Milan, flat15	.50	1.25	42
Early Purple Top Milan, flat15	.50	1.25	42
Red, or Purple Top Strap Leaf, flat15	.50	1.25	46
Red Top White Globe, round15	.50	1.25	57
Seven Top, grown for greens15	.50	1.25	

WATERMELON.

Secure good strong vines early in the season by making the hills large, mellow and well drained, with the manure placed so that they will not dry out quickly under hot suns. All possible protection from insects should be given the young plants, and as protection from insects, use dry ashes or coal dust sprinkled over the leaves. Plant the seeds thickly, and thin the plants to four of the strongest in each hill.

One oz. to 50 feet of drill; 1 to 2 pounds to the acre.

	Oz.	¼ lb.	Lb.	Days
Blacklee New Wilt Resistant. Long oval, fine texture, very symmetrical. Flesh brilliant red, seeds black. Good shipper and keeper.	.35	1.00	3.00	85
Cuban Queen, round striped25	.50	1.50	90
Dixie Bell or Stone Mountain, Wilt Resistant, round green25	.50	1.50	90
Dixie Queen, round striped melon. Seeds very small and white	.25	1.00	4.00	85
Early Kansas, round striped melon well suited for shipping Seeds buff color.	.25	.50	2.00	80
Halbert's Honey, long green25	.50	2.00	82
Hawkesbury, Wilt Resistant, long striped25	1.00	4.00	85

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

WATERMELON—Continued

	Oz.	¼ Lb.	Lb.	Days
Kleckley Sweet, Wilt Resistant, long green25	.50	1.50	85
Klondike, Wilt Resistant Strain, long green, Black seed.....	.25	.60	2.50	80
Klondike, R-725	.60	2.50	80
Wilt Resistant, green, flesh solid deep red. Seeds small and vary in color from tan to black. Weighs 25 pounds and measures 14 by 10 inches.				
Klondike, Striped No. 1125	.60	2.50	80
Flesh deep red, rind light green prominently striped with dark green. Seeds small, varying from white to black in color. Weighs 25 pounds and measures 14 by 10 inches.				
Monte Cristo, long green25	.50	1.50	85
Rattlesnake, long striped25	.50	1.50	90

HERBS.

Anise—Seeds used for flavoring	
Chicory—Large rooted—The dried leaves are roasted and mixed with Coffee or used as a substitute	
Chives—Used for seasoning	
Coriander—Seeds used for flavoring	
Dill—Used for flavoring Pickles	
Lavender—Leaves very fragrant	
Rosemary—Leaves very fragrant	
Sage—A highly aromatic Herb, most useful of all.....	
Savory, Summer—Used as a seasoning	
Savory, Winter—Used as a seasoning	
Sorrel—Large leaved, French—Used as a Salad or cooked as Greens.....	
Sweet Basil—Leaves used for flavoring	
Sweet Marjoram—Used as a seasoning	
Thyme—Used as a seasoning	
Bermuda Onion Plants	} Prices on application.
Onion Sets	
Rhubarb Roots	
Asparagus Roots	

PLANTS.

In Season

VEGETABLES

Tomato	Pepper
Cabbage	Sweet Potato


FLOWER

Aster	Verbena
Salvia	Marigold
Snapdragon	Phlox
Zinnia	Alyssum
Petunia	Hardy Chrysanthemum

ASK FOR PRICES



ASTERS



ZINNIA

FLOWER SEED AND SUPPLIES

	Pkg.
Ageratum, Blue, Dwarf10
Ageratum, Fairy Pink15
Ageratum, Midget Blue10
Alyssum, Dwarf, Violet Queen10
Alyssum, White10
Alyssum, Yellow10
Amaranthus Tricolor Splendens10
Antirrhinum	
Varieties, Red .20 pkg. Pink .20 pkg. Yellow .20 pkg. Purple .20 pkg.	
Bronze .20 pkg. White .20 pkg.	
Antirrhinum, Mixed10
Antirrhinum, Tetraploid, Mixed15
Aster, Ballet Queen, Salmon Rose10
Aster, Crimson, American Branching10
Aster, Peach Blossom, American Branching10
Aster, White, American Branching10
Aster, Crego, Deep Rose10
Aster, Crego, Light Blue10
Aster, Crego, Mixed10
Aster, Crego, Purple10
Aster, Giant Comet10
Aster, Princess, Wilt Resistant, Finest Mixed10
Aster, Wilt Resistant, Mixed, American Branching10
Balsam (Lady Slipper)10
Balsam, Bush, Mixed10
Bellis Perennis, Dwarf English Daisy25
Calendula, Yellow10
Calliopsis, Yellow10
Candytuft, Mixed and White10
Canterbury Bells, Cup and Saucer, Mixed.....	.10
Carnation, Hardy, Mixed15
Carnation, Marguerite10
Celosia, Cristata10
Cockscomb, Fine Feathered Mixed10
Cockscomb, Dwarf, Mixed10

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE



DOUBLE PETUNIA



MIXED LARKSPUR

FLOWER SEED AND SUPPLIES—Continued

	Pkg.
Centaurea (Bachelor Button) Blue, Double10
Centaurea (Bachelor Button) Double Mixed10
Centaurea, Jubilee Gem, Blue10
Cleoma, Pink and Yellow10
Coleus25
Columbine, Aquilegia, Mixed10
Columbine, Crimson Star25
Coreopsis, New Gold, Double10
Cosmos, Double Crested, Mixed10
Cosmos, Extra Early Single, Mixed10
Cosmos, Orange Flare10
Cosmos, Radiance. Deep Rose and Crimson25
Chinese Woolflower, Scarlet10
Daisy, Pyrethrum Roseum15
Daisy, Shasta (White)10
Dahlia, Double, Mixed10
Dahlia, Unwin Dwarf Hybrid, Mixed.....	.15
Delphineum, Dark Blue15
Delphineum, Hybrid, Mixed25
Delphinium, Mixed15
Forget-Me-Not, Alpestris Blue10
Forget-Me-Not, Chinese10
Four O'Clock, Mixed10
Euphorbia (Snow on the Mountain)10
Fox Glove (Digitalis) Mixed10
Gaillardia, Dazzler10
Gaillardia (Blanket Flower) Mixed10
Geranium, Double, Mixed15
Gomphrena (Globe Amaranth) Mixed10
Gypsophila, Pink, Annual10

ASK FOR QUANTITY PRICES



SCARLET O'HARA
MORNING GLORY



ZINNIA FANTASY
WILDFIRE

FLOWER SEED AND SUPPLIES—Continued

	Pkg.
Gypsophila, White, Perennial and Annual10
Heuchera (Coralbell)25
Hibiscus, Mixed and Red10
Hollyhock, Double, Mixed10
Lantana, Mixed10
Larkspur, Carmine King15
Larkspur, Miss California, Pink15
Larkspur, Double, Mixed10
Lupin, Mixed10
Marigold, African Yellow Supreme10
Marigold, Crown of Gold10
Marigold, Flash, Dwarf Single French10
Marigold, French Double, Mixed10
Marigold, French Dwarf, Harmony Hybrids10
Marigold, Mammoth Mum, Chrysanthemum Flowered10
Marigold, Naughty Marietta, Dwarf, Single French25
Marigold, Red Head25
Marigold, Sunset Giant10
Matricaria (Feverfew)10
Mexican Fire Bush (Kochia)10
Mignonette, Green and White10
Nasturtium, Dwarf, Mixed, Single15
Nasturtium, Dwarf, Mixed, Semi-Double Gleam Hybrids.....	.25
Nasturtium, Tall, Mixed15
Nicotiana (Flowering Tobacco) Mixed, Purple and White.....	.10
Pansy, Giant Trimardeau, Mixed25
Petunia, Balcony, Crimson, White and Blue, Pink.....	.10

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

FLOWER SEED AND SUPPLIES—Continued

	Pkg.
Petunia, Celestial Rose10
Petunia, Double, Mixed25
Petunia, Dwarf, Miniature Rose Gem10
Petunia, Flaming Velvet, Red10
Petunia, Fringed, Mixed25
Petunia, Heavenly Blue10
Petunia, Howard Star, Purple with White Throat10
Petunia, Hollywood Star10
Petunia, Hybrid Exquisite, Mixed10
Petunia, Norma, Miniature Blue with White Star10
Petunia, Pink Sensation25
Petunia, Rose of Heaven, Pink10
Petunia, Rosy Morn, Pink10
Petunia, Violet King10
Phlox, Drummondii, Mixed15
Phlox, Hardy, Mixed15
Pinks, Chinese Double, Mixed (Dianthus)10
Pinks, Dianthus Heddensis15
Poppy, American Legion10
Poppy, California Yellow10
Poppy, Oriental, Orange Scarlet15
Poppy, Oriental, Scarlet10
Poppy, Oriental, Mixed15
Poppy, Shirley, Mixed, Single10
Poppy, Shirley, Double, Mixed10
Portulaca (Flowering Moss) Double, Mixed20
Portulaca (Flowering Moss) Single, Mixed10
Rock Garden Annuals, Mixed10
Rock Garden Perennial, Mixed10
Salpiglossis, Mixed10
Salvia Splendens (Flowering Sage) Red10
Salvia, Indigo Blue10
Salvia Splendens, St. John's Fire, Dwarf25
Scabiosa, Imperial Giants Blue Moon10
Scabiosa (Mourning Bride) Mixed10
Stock, Mixed10
Strawflower (Helichrysum) Mixed10
Sweet William, Double Hardy, Mixed10
Verbena, Annapolis Blue15
Verbena, Cerise Queen, Salmon15
Verbena, Crimson Glow10
Verbena, Flamingo, Pink15
Verbena, Lavender Glory15
Verbena, Mixed10
Vinca (Madagascar Periwinkle)10
Viola Odorata, Mixed20
Wild Flower Garden10
Zinnia, Dahlia Flowered, Mixed10
Zinnia, Creeping, Mixed10

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

FLOWER SEED AND SUPPLIES—Continued

Zinnia, Dahlia Flowered, White, Pink, Lavender, Red, Yellow, Purple, Oriole.....	.10
Zinnia, Fantasy, Mixed10
Zinnia, Fantasy, Stardust, Yellow10
Zinnia, Lilliput, Mixed10
Zinnia, Lilliput, Red Riding Hood10
Zinnia, Mexican Dwarf Hybrid, Double10
Zinnia, Scaboisa Bloom, Mixed10

VINES.

	Pkg.
Balloon Vine, Love in a Puff10
Balsam Apple, Red Fruit10
Canary Bird Vine10
Cardinal Climber10
Castor Bean or Ricinus Maderia10
Coboea Scandens10
Cypress, Mixed10
Gourd, Dipper10
Gourd, Ornamental, Mixed10
Hyacinth Bean, Mixed10
Job's Tears, White10
Kudzu10
Moon Flower, White and Blue10
Moon Flower, Pink10
Morning Glory, Heavenly Blue10
Morning Glory, Mixed10
Morning Glory, Pearly Gates, White10
Morning Glory, Scarlett O'Hara10
Passion Vine10
Scarlet Runner10
Sweet Peas, Spencer, Spring Flowering, Early, Mixed25
Sweet Peas, Spencer, Mixed, Late15
Sweet Peas, Superior, Hardy Mixed (Pink and White)15
Thumbergia (Black Eyed Susan)10

SPRING LILIES AND BULBS

LILIES

Amaryllis	Yellow Calla	Henryii
Tigrinum	Orange Triumph	Ismene
Rubrum	Umbellatum	Auratum
	Regal	

BULBS AND VINES

Cannas, all colors	Tuberose, double and single
Gladiolus, all colors	Caladium (Elephant Ear) Green
Dahlias, all colors	Caladium (Elephant Ear) Colored
Maderia Vine	

FALL LILIES AND BULBS

Tulips	Grape Hyacinths
Narcissus	Hyacinth
	Madonna Lilies
Scilla	Crocus

ASK FOR QUANTITY PRICES

FLOWER POTS.

2½ inch size	ask for prices	8 inch size	ask for prices
4 inch size	ask for prices	9 inch size	ask for prices
5 inch size	ask for prices	10 inch size	ask for prices
6 inch size	ask for prices	12 inch size	ask for prices
7 inch size	ask for prices		
Glazed Flower Pots and Saucers, red and green	Ask for prices		
Fancy Flower Pots and Saucers for Outdoor use	Ask for prices		

PAPER FLOWER POTS.

2½ inch size	ask for prices	4 inch size	ask for prices
3 inch size	ask for prices		

HANGING POTS.

8 inch size	12 inch size
10 inch size	Ask for Quantity Prices On All

FOR POTTED PLANTS.

Burbanks Better Rooting10	New Plant Life,	
Burbanks Flower Saver10	Liquid Fertilizer25 & .50
Burbanks Vitamins10	Ovene, Sheep Manure,	
Fulton's Plantabbs10 and .25 Box	Stick Form10 Box
Vigoro Tablets10	Plant and Tree Labels 100-.35, 1M-\$3.25	
Plant and Tree Labels with wires...50 per 100 \$4.25 per 1000			

PEAT MOSS.

Boxes30 .60 2.50	Full Bale	4.00
-------------	--------------	-----------------	------

FARM AND LAWN SEEDS AND SUPPLIES.**COW PEAS.**

Whippoorwill	Mixed	New Era
--------------------	-------------	---------------

FARM GRAIN.

Prices subject to market change—Please ask for prices

Atlas Sorgo	20-30 lb per acre	Millet Seed, German	50 lb per acre
Balboa Rye	60-90 lb per acre	Millet Seed, Hungarian.....	50 lb per acre
Brome Grass	15-20 lb per acre	Milo Maize	20-30 lb per acre
Broom Corn	5-6 lb per acre	Reed's Canary Grass.....	10-12 lb per acre
Buckwheat	48-60 lb per acre	Rye Grass	25-35 lb per acre
Grohoma	20-30 lb per acre	Seed Rye	60-90 lb per acre
Kaffir Corn	20-30 lb per acre	Sudan Grass	25-35 lb per acre
		Sweet Sudan Grass.....	20-30 lb per acre

FARM SEEDS.

Prices subject to market change—Please ask for prices

Alfalfa, Common	15 lb-20 lb per acre	Meadow Fescue	14 lb per acre
Alfalfa, Grimm	15 lb-20 lb per acre	Orchard Grass Seed	14 lb per acre
Alsike Clover Seed.....	6 lb-8 lb per acre	Pasture Mixture	25 lb-35 lb per acre
Birdsfoot Trefoil	5 lb-6 lb per acre	Rape Seed, Dwarf Essex	
Blue Grass	14 lb per acre		6 lb-8 lb per acre
Kentucky 31 Fesque.....	10 lb-15 lb per acre	Red Clover Seed.....	8 lb-10 lb per acre
Ladino Clover	1-2 lb per acre	Red Top	7 lb-10 lb per-acre
Lespedeza, Common		Sweet Clover Seed, White Blossoms	
(Japanese Clover) 10 lb-15 lb per acre			10 lb-15 lb per acre
Lespedeza, Korean	10 lb-15 lb per acre	Sweet Clover Seed, Yellow Blossoms	
Mammoth Clover Seed 8 lb-10 lb per acre			10 lb-15 lb per acre

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

LAWN GRASS SEEDS.

Bent Grass	1 lb	\$1.50	10 lb	\$14.00		
Blue Grass	1 lb	.85	10 lb	.85 50 lb-100 lb	\$70.00 per 100	
Chewings Fescue	1 lb	.75	10 lb	.72½	50 lb-100 lb	\$65.00 per 100
Mixed Lawn Seed	1 lb	.85	10 lb	.85	50 lb-100 lb	\$70.00 per 100
Red Top	1 lb	.85	10 lb	.85	50 lb-100 lb	\$70.00 per 100
Shade Mixture	1 lb	.85	10 lb	.85	50 lb-100 lb	\$70.00 per 100
White Dutch Clover	1 lb	\$1.50				

SEED CORN.

Certified Hybrid Seed Corn	Johnson County White, 110 days
Large flat kernel	Red Cob White, 90 days
	Reid's Yellow Utility, 100 days

SOY BEANS.

Illini	Lincoln	Edible
--------	---------	--------

COMMERCIAL FERTILIZERS.

Ask for Prices—Prices Subject to Change
Subject to Government Regulations.

Adco 25 lb	0-14- 7 80 lb	2-12- 6 80 lb
3-12-12 80 lb	0-20- 0 80 lb	6- 8- 6 80 lb

FERTILIZERS.

Ask for Prices—Prices Subject to Change

Aluminum Sulphate	"Na-Churs" Liquid
Ammonia Sulphate	Rose Food
Bone Meal	Sacco (4-12-4)
Dahlia Food	Sheep Manure
Loma (5-10-4)	20% Super Phosphate
Manganese Sulphate	Vigoro (4-12-4)
Milorganite	Velvetgreen (5-10-5)

GRAIN BAGS.

New Grain Bags, 16 oz.65
Used Grain Bags, 16 oz.50

INOCULATIONS.

Nitrogen, for Cow Peas and Soy Beans30	.50	1.00	1.60	3.00
Nodogen, for Alfalfa, Sweet Clover, Red and Alsike Clover.....	.30	.50	1.00		
Nodogen, for Lespedeza, Cow Peas, and Soy Beans.....	.30	.50	1.00	1.60	3.00
Urbana Laboratories Inoculation (Jelly Form) 1 bu. size.....					.50
for All Clovers.					
Urbana Laboratories Inoculation (Jelly Form) 5 bu. size.....					1.00
for Soy Beans.					
Urbana Laboratories Inoculation (Humus Form)15
for Garden Seed.					

SEED SOWERS.

Cyclone, Seeders, Each	3.50
Seed Sowers25

ASK FOR QUANTITY PRICES

SPRAYERS AND DUSTERS.

Ask for Prices—Prices Subject to Change

Arnold Improved Garden Hose Sprayer (Six Assorted Cartridges)	7.00
Feeney Dusters	
Flame Gun, Weed Burner	
Hozon, attachment for liquids	1.75
Justrite, 2 gallon compressed air sprayer	6.00
1 pint Sprayers	
1 quart Sprayers	
1 quart Continuous Sprayers	
2 gallon Compressed Air Sprayers	
Small Dusters	
Stauffer's Knapsack Duster	
Weed-No-More Automatic Sprayers60

SPRAYING MATERIAL AND DISINFECTANTS.

Ask for Prices—Prices Subject to Change.

Acme Kopper Queen Mildew Spray	1 pint can .60	½ pint can .35
Acme Kopper Shield Pruning Paint	½ pint can .30	1 pint can .60
Activo, for compost heaps	1.00	2.00
Adco	25 lb.	\$4.50
Aer-A-Sol Insecticide Bomb, DDT with Pyrethrum		2.00
Ammate, DuPont Weed Killer	2 lb.	.75
Arsenate of Calcium		
Arsenate of Lead		
Banol Insecticide60
"Black Leaf 40", good for Aphis and other insects		
Black Leaf "155" with DDT	3 lb. box	1.75
Blue Vitriol (Copper Sulphate) Bulk		
Burbank Better Rooting10
Carbola, Disinfectant White Paint, 2% DDT85	1.50
Carbolineum		2.75
Carbon Disulphide, for disinfecting Seed Wheat	1 lb. can	.90
CCC Garden Dust 3% DDT and 6% Copper		
CCC Garden Dust 25% DDT and 31% Copper, wettable		
CCC Household Dust 10% DDT		
CCC Rotenone		
Ceresan, Grain Disinfectant		
Coal-Tar Disinfectant and Animal Dip	½ pt. bottle .20	1 pt. bottle .35
1 qt. bottle .50	1 gal. bottle	\$1.25
Copper Dust		
Crabex Weed Killer, Crab Grass Killer75	\$1.25
Cyanogas, for fumigating Elevators, Warehouses, Greenhouses, and Mills		
Cyanogas Ant Killer	4 oz. can	.40

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

SPRAYING MATERIAL AND DISINFECTANTS—Cont'd.

Dauntless Fly Spray30
Ded-Tox No. 50W, 50% DDT	
Ded-Weed, 2, 4-D Weed Killer	
Dry Lime Sulphur, for dormant spray	
Dusting Sulphur	
Ever Green Spray, good for Aphis and Red Spider.....	
Fermate, for control of plant and tree disease.....	
Fish Oil Soap	1 lb. can .60
Fix, stops fruit and vegetable dropping50
Flit Fly Spray	1.75
Fruitone	1.00
Fungi-Bordo, for fungus diseases and Anthracnose	
Hormodin, stimulates rapid root growth on cuttings	bottle .50
Kryocide Garden Dust, D-50 with Sulphur	
Kryocide Garden Dust, C with Copper	
Kryolite Garden Dust	
Lime, Agricultural	3 lb. for .10 50 lb. for .90
Liquid Lime Sulphur	
Magnesium Arsenate	
Mulsoid-Sulphur	
“Nico-Fume” 1 lb. Pressure Fumigator for greenhouses	
N. N. O. R., Liquid Rotenone	
Old Nick Seed Corn Treatment	1.25
Paradichlorbenzene, used for borers in orchards	
Para-Scalecide	
Paris Green	
Pestroy	
Pestroy Liquid 6% DDT	
Pestroy, 10% DDT, household use	
Pestroy Liquid 25% DDT	
Protexall Dust, DDT, Rotenone, Fermate and Sulphur mixed.....	.35 .75
Puraturf, Selective Crab Grass Killer.....	1.65
Quinlan’s Bugicide	
Red Arrow Dust, Rotenone and Sulphur	
Red Arrow Garden Spray, good for Aphis and Red Spider.....	
Rotenone Dust, fine for bean beetle	
Rootone	Boxes at .25 and \$1.00
Semesan-Bel, Potato Disinfectant	
Semesan Jr., Corn Disinfectant	
Semesan, Seed Disinfectant	
Scalecide, for dormant spray, dilute in water at the rate of one gallon to 25 gal. of water	
Selocide, good for Red Spider	
Sherwikil, 2, 4, 5-T and 2, 4-D	4.25
Sodium Selenate, P-40	1 lb. box .40
Spra-Mulsion, for dormant spray, mix at the rate of 1 gallon to 20 of water.....	
Sulfocide, a summer spray oil, mix at the rate of 1 gallon to 100 of water.....	
Sulphur Dust	
Sulphur, Wettable	

ASK FOR QUANTITY PRICES

SPRAYING MATERIAL AND DISINFECTANTS—Cont'd.

Transplantone	Boxes at .25 and \$1.00
Tree Tanglefoot	
Tobacco Dust	
Tomato Dust50
Tri-Ogen, Rose Dust	Box .85
Tri-Ogen, Rose Spray	Boxes at 1.35, 2.25 and \$6.00
Weed-No-More, 2, 4-D Weed Killer	

PET AND POULTRY REMEDIES AND SUPPLIES BIRD SEED AND SUPPLIES.

	1 lb.
Canary Seed	10 lb. 2.50 .30
Cuttle Bone05 and .15
Flax Seed35
Millet Seed, Red and White	10 lb. 2.50 .30
Mixed Bird Seed	10 lb. 2.50 .30
Rape Seed	10 lb. 2.50 .30
Sunflower Seed	10 lb. 2.50 .30
Wild Bird Seed15
Bird Balm (For Bald Spots)	Pkt. .15
Bird Baths15 and .50
Bird Shipping Cages65
Bird Treat Cups05
Bird Treat Health Balls15
Canary Cage Bird Swings15
Canary Cage Cups10 and .25 Each
Canary Cage Gravel Paper, round and square25
Canary Cage Plastic and Wire Bird Nests15 and .30
Canary Hand Feeders, for baby birds60
Canary Leg Bands	Doz. .25
Kaempfer's Big Kernel Birdolene (Song Restorer)15
Kellog's Gravel, Brown15
Kellog's Petamine60 1.20 2.40 4.50 12.00
Kellog's Seedies35
Mrs. Halfin's Birdade15
Mrs. Halfin's Bird Nesting with Eggs15
Mrs. Halfin's Bird Rejuvenator (Song Restorer)15
Mrs. Halfin's Bird Tonic15
Mrs. Halfin's Bird Wash25
Mrs. Halfin's Cedar Bird Perches20
Mrs. Halfin's Color Food (Red and Yellow)15
Mrs. Halfin's Lice and Mite Powder15
Mrs. Halfin's Moulting Food15
Mrs. Halfin's Natural Fish Food15
Mrs. Halfin's Parokeet Mixture20 and .35
Mrs. Halfin's Parrot Tonic25

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

PET AND POULTRY REMEDIES AND SUPPLIES—Cont'd.

Philadelphia Merican Salve25
Philadelphia Bird Bitters25
Philadelphia Bird Gravel (Red and Silver)15
Philadelphia Mite Powder25
Rex Wheat Germ Oil50
Spratt's Bird Louse Powder in Bellows30
Spratt's Cod Liver Oil Cage and Nestling Food20 and .35 pkts.
Spratt's Sing Song Bird Treat15
Spratt's Song Restorer25
West's Bird and Cage Wash25
West's Magnesian Grit15
West's Special Mating Food30 and .50

DOG AND CAT REMEDIES AND SUPPLIES

At-Em Flea Killer, 10% DDT	Box .50
Brushes50 and .75
Catnip, Loose20
Chaperone, Dog Repellent Powder, inside use50
Chaperone, Kitty Repellent Powder, inside use50
Catnip Mice (For Cats)15
Disinfectant for Kennels20, .35, and .50 Bottles \$1.25 per Gallon Cans
Dog Beds, Wicker, open front	3.50, 4.00, 4.50, 5.00
Dog Beds, metal, open front, red and green	5.00
Dog Feeding Bowls, Double	1.00
Dog Feeding Bowls, Spaniel65
Dogzix35 and .60
"Dogzoff"60
Fehr's Ear Canker Remedy50
Flea Combs (For Dogs and Cats)50 and 1.25
Fleischmann's Yeast for Dogs50
Miller's Dog Soap25
Miller's Dog Worm Capsules25
Mrs. Halfin's Dog Soap25
Mrs. Halfin's Dry Wash for Dogs35
Natural Bones15
Pervinal, Vitamins	1.35
Pulvex Flea Powder with DDT25 and .50
Pulvex Flea Soap25
Pulvex Sponge-Away (For Summer Eczema)25 and .50
Quadine Concentrate60 1.00 2.25 2.50
Quadine Liquid Soap75 1.25
Rex Wheat Germ Oil50 and 1.00
Rubber Toys, Bones and Animals25 and .50
Scram, Dog Repellent Powder, outdoor use50
Sergeant's Condition Pills50
Sergeant's Laxative Capsules50
Sergeant's Mange Medicine75
Sergeant's Puppy Capsules50
Sergeant's Sure Shot Capsules50
Spratt's Flea Soap25
Spratt's Liquid Dog Shampoo30
Spratt's Worm Capsules for Cats and Kittens10

DOG REMEDIES AND SUPPLIES—Cont'd.

Spratt's Worm Tablets for Dogs and Puppies10
Stripping Combs	1.50
Trix, prevents male dog annoyance	1.00
"13", Kills fleas, lice, ticks on dogs and cats, liquid	1.00

DOG FOOD.

Milk Bone Dog Biscuits, medium and large	pkt. .25 and .50
Mrs. Halfin's Itsy Bitsy (Candy Substitute)	pkt. .25 and .50
Spratt's Assorted Dog Biscuit	pkt. .50
Spratt's Cat Food	pkt. .50
Spratt's Ovals, with Charcoal	pkt. .50
Spratt's Ovals, without Charcoal	pkt. .50

Prices Subject to Change—Ask for Prices

Chappel's Ken-L-Worth	
Gaines Krunchon	
Gaines Milk and Meat Meal	
Hi-Spot Meal	
Miller's A-1 Meal	
Miller's Kibbles	
Miller's Dog Food, Canned15 2 for .25
Spratt's Assorted Dog Biscuit	

GOLD FISH AND SUPPLIES.

Common, Fan Tail, Black Moor, and Chebunkin Fish from 15c to 25c each.

Aquarium	3.50	5.00	10.00	15.00
Aquarium Cement				Pkt. .60
Aquarium Ornaments and Shells35 and	.50
Bishop's Wafer Fish Food15
Fish Bowls50	.75 and		1.50
Fish Moss10
Fish Nets25 and		.50
Fungus Remedy and Fish Tonic35
Medicated Health Fishball15
Mrs. Halfin's Natural Fish Food15 and		.50
Mrs. Halfin's Tropical Fish Food15
Mrs. Halfin's Turtle Food15
Spratt's Granulated Fish Food15
Turtle Bridges25
Water Hyacinths and Lilies in season.				

POULTRY REMEDIES AND SUPPLIES.

Bag Balm70
Bag Balm Dilators75
Burrell-Dugger Don Sung50	1.00
Carbola (Disinfectant Paint for Poultry Houses) 2% DDT85	1.50
Carbolineum (Wood Preserving Disinfectant)		2.75
Cod Liver Oil, for mixing with poultry feeds	1.00	1.50
Dairy Association Co. Kow-Kare75	1.35
Dr. Hess Anturat Killer65	1.50
Dr. Hess Barn Spray, Wettable Powder, 50% DDT	1.00	2.00
Dr. Hess Cattle Grub Killer75	1.65

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

POULTRY REMEDIES AND SUPPLIES—Continued.

Dr. Hess Chick Tablets (Diarrhea)25	.50	1.00
Dr. Hess Coxitrol		1.60	4.20
Dr. Hess Dip and Disinfectant60	1.00	2.25
Dr. Hess Drycide	1.40	3.50	8.25
Dr. Hess Fly Spray			7.00
Dr. Hess Hog Special45	1.00	1.75 4.75
Dr. Hess Hessklor, 45% Emulsifiable Chlordane		1.25	2.25
Dr. Hess Hessspray, Oil Type for Livestock		1.50	2.75
Dr. Hess Hogoyl, contains Benzene Hexachloride			2.75
Dr. Hess House Spray, contains DDT40	.65	2.25
Dr. Hess Liquid Louse Killer	1.10	1.90	2.60
Dr. Hess Medicated (Healing) Powder25
Dr. Hess Nicozine Tablets65	1.25	2.50 8.00
Dr. Hess Nicozine Powder50	.90	1.90 5.40
Dr. Hess NFZ, for Coccidiosis and Pullorum			2.25
Dr. Hess Pelguns, for PTZ Pellets60
Dr. Hess Pol, a dehorner			1.25
Dr. Hess Poultry Pan-A-Min.35	.70	1.00 1.75 4.75
Dr. Hess Poultry Sulfa Liquid		1.00	3.75
Dr. Hess Poultry Sulfa Powder			3.50
Dr. Hess Poultry Tablets (Roup)25	.50	1.00
Dr. Hess PTZ Pellets		2.25	4.50
Dr. Hess PTZ Powder55	1.75	5.85
Dr. Hess Powdered Louse Killer35	.75	1.85
Dr. Hess Six, Roost Paint and Mite Spray75	1.25
Dr. Hess SKP Liquid		1.00	1.75
Dr. Hess Sofenate		1.25	5.00
Dr. Hess Stock Spray, contains DDT Emulsion90	1.75
Dr. Hess Stock Tonic45	1.00	1.75 4.75
Dr. Hess Udder Ointment55
Dr. Hess Vermi-Tabs			1.15
Dr. Hess Weed Killer, 14% 2, 4-D, Amine Salt Product	1.00	1.65	3.00
Germo Cholerine Liquid65	1.00
Glass Nest Eggs		3 for	.25
Lee's Blitspray75
Lee's Dip and Disinfectant75	2.25
Lee's Dri-Rub50
Lee's Germozone40	.75	1.50 2.50 4.50
Lee's Gizzard Capsules, Adult75	1.25
Lee's Gizzard Capsules, Chick40	.75
Lee's Gizzard Capsules, Pullet50	1.00
Lee's Hog Oil Wormer		2.00	3.50
Lee's Lice Killer60	.90	1.50
Lee's Louse Powder, 1 lb. can30
Lee's Mite Killer, Liquid60
Lee's Perch Paint85	1.50	2.50
Lee's Pickpaste, for cannibalism25
Lee's Pinjectol75
Lee's Poultry Dosing Syringe, 1 oz. capacity			1.25
Lee's Poultry Nasal Syringe, for Head Colds75
Lee's Tonax, tonic30	.75	2.00
Lee's Vapo-Spray50	.75	1.25 2.00 8.75
Nema Worm Capsules60

POULTRY REMEDIES AND SUPPLIES—Continued

Poultry Leg Bands, Aluminum, 12 bands20
Poultry Leg Bands, Aluminum, 50 bands60
Poultry Leg Bands, Aluminum, 100 bands					1.00
Poultry Leg Bands, Celluloid, 12 bands15
Poultry Leg Bands, Celluloid, 50 bands50
Poultry Leg Bands, Celluloid, 100 bands90
Pratts Animal Regulator30	.60	1.20		4.60
Pratts C-Ka-Gene75	1.25		2.75
Pratts Chick Tablets35	.70		8.50
Pratts Disinfectant for Dipping and Spraying					
Poultry and Stock50	.75		1.85
Pratts Hog Powder30	.60	1.20		3.60
Pratts Pheno-Thi-Azine			1.25		2.75
Pratts Poultry Inhalant70	1.25		3.25
Pratts Poultly Regulator30	.60	1.20	3.75	12.00
Pratts Poultry Worm Powder65	1.25	2.75	5.00
Pratts Powdered Lice Killer35	.70
Pratts Roost Paint (Kills Poultry Lice)		1.00	1.75		2.50
Pratts R-P Tablets (Formerly Roup Tablets)25		.50
Pratts "Split-Action" Worm Capsules, Adult85	1.50	5.50		10.00
Pratts "Split-Action" Worm Capsules,					
Chick and Small Pullet55	1.00	3.75		6.50
Pratts Zene-A-trol			1.00		2.00
Sodium Fluoride35
Walko Poultry Tablets50		1.00

MISCELLANEOUS.

Ant-X35
Appo Cut Worm Bait50
Bar Sprout, keeps potatoes from sprouting in storage.....					1.00
Cemetery Wreathes and Decorations, Fall					
Crab Grass Rakes					1.50
Cyclone Seeders					3.50
El Vampiro15
Fehr's OGK Rabbit Germicide50
Fehr's Liquid-Sulpho Compound50
Fertilizer Spreaders			4.75		9.00
Force's Mole Killer25 and			.50
Good-Air Bombs, air purifier for homes, kennels, etc.		1.00			2.00
Grafting Wax— $\frac{1}{2}$ lb.60
Hot Caps25 per dozen		\$1.50 per		100
Hot Cap Tamper, paper25
Jim Dandy Rat and Mice Killer25
K. R. O. Kills Rats Only (Not a poison).....		.35			.75
Leaf Rakes, Metal					1.25
Mole-Nots35 and			1.00
Mouse-Nots25
Mologen, Mole Poison					1.25
Nomole, Poison to kill moles, ground squirrels, and small rodents.....		1.10			2.00
Pastoxine. A non-poisonous exterminator of rats and mice.....					.60
Plant Standards, metal10 and .15		1.00 and 1.50 per doz.		
Poison Wheat. Death to rats and mice20			.35

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MISCELLANEOUS—Continued

Polar Naphtholene Moth Flakes30
Rabbit Chaperone, keeps rabbits away from trees, shrubs and plants.....	.50 1.00
Rabbit Feeders, heavy crockery35
Rabbit Repellant, for gardens and flowers.....	.45
Rabbit Salt05
Rabbit Waterers35
Raffia, Natural, for tying plants, 1 lb.	1.50
Rat-Nots35
Roach-Nots35
Rootone, for cuttings25
Rubber Bands, Sizes 10, 12, 14, 16	Ask for Prices
Sanaseed Mouse Poison15 .25
Sewing Needles for seed bags25
Smith's Rodent Destroyers for Moles15
Sodium Fluoride Roach Powder35
Sulphur Candles15
Skeet-Check35
South American Ant Poison35
Transplantone25 1.00
Twistems, for tying up plants, bushes50
Weed Wand, hand applicator for 2, 4-D	1.00
6-12, Mosquito and Chigger Insect Killer50

NEW IN VEGETABLES

Burpee Hybrid Cucumber No. 370

This is a new white spine, slicing type, with large fruit of rich dark green, 8 inches long, 2½ inches wide, with blunt ends and small seed cavity. The crisp white flesh is of good quality and delicious flavor. Ready for use in 60 days.

Burpee Hybrid Tomato No. 1132

Fruits are medium to large, firm, thick walled, globular shape and scarlet to red in color. Flesh is meaty and rich flavored. Average weight, 8 ounces. An early mid-season hybrid producing 20% more than popular varieties. Ready in 70 days.

Fordhook Hybrid Tomato No. 1121

Fordhook is an early prolific hybrid noted for its smooth medium size fruits of even red color. Averages 6 ounces in weight, is oblate to globular in shape, mildly acid and sweet in flavor. Bears profusely through entire season. Ready in 60 days.

Clinton Hybrid Tomato No. 680

Fruits are round, slightly flattened at the top and bottom, and possess an excellent red skin and flesh color. Average weight, 8 ounces. It has large dark green plants, with dense foliage, and is in season with Marglobe and Rutgers. Ready in 75 days.

Giant Tree Tomato

This is a smooth round dark red tomato of amazing vigor with plants 10 feet high. Fruits are firm and non-acid flavored, solid, with small seed cavity. Average weight, 1 to 1½ pounds. It has potato leaves and is sometimes called Italian Potato Leaved.

Jubilee Tomato No. 1111

Orange skinned, orange fleshed, Jubilee compares favorably with the best of the red varieties in shape, smoothness, quality and solidity. Fruits are large, globular, thick walled, with few seeds. Ready in 72 days.

TERRA-LITE OR VERMICULITE

Wonder Aid For Gardens

Improves Soil Texture—Grows Stronger Seedlings—Mulches Plants Safely—Roots Cuttings Faster—Makes Bulb Forcing Easier—Protects Stored Bulbs—Cannot Rot—Absorbs Eight Times Its Weight In Water—Can Be Dried and Re-Used.

50c per ½ peck or 1½ lb. 16 qts. or 4 lbs. \$1.00 \$2.50 per ½ bushel.

FLAT-PAK PLANT FORCER — PORTABLE HOT-BED

Stainless Steel — Non-Corrosive — Chemical Resistant — Weather Proof — Adjustable, Plastic Window — Grooved for Sun Lamp Cords — Lasts a Lifetime—\$15.95

ORDER SHEET

QUINLAN SEED STORE

**317 Wabash Avenue,
Terre Haute, Indiana**

Name

Post Office County.....

Express Office Co. of Express Office..... State.....

Find Enclosed P. O. Order \$.....Draft \$.....Cash \$.....Stamps \$.....

for which send to address above the list of seed, etc., forwarded by.....

.....State here if wanted by mail, express or freight.

[illegible]

DETACH HERE

QUINLAN SEED STORE

Name

Post Office County.....

Express Office Co. of Express Office..... State.....

Find Enclosed P. O. Order \$.....Draft \$.....Cash \$.....Stamps \$.....

for which send to address above the list of seed, etc., forwarded by.....

.....State here if wanted by mail, express or freight.

[illegible]

DETACH HERE

